

Enby Canopy Bed (All Sizes)

Assembly Instructions
**IMPORTANT – READ CAREFULLY –
RETAIN FOR FUTURE REFERENCE**

CUSTOMER CARE

We have checked all parts to ensure they are free of damage. However timber is a natural, living product. Occasionally timber can still be adjusting to humidity, for this reason a crack or stretch mark may appear after the product has been packaged.

Strictly Beds and Bunks however have a **FREE PARTS REQUEST** service in this unlikely event. You need to order a part please go to

Parts Portal - www.strictlyhelpdesk.co.uk.
Email Assistance: help@strictlybedsandbunks.co.uk



Using the Camera on your phone scan this barcode to take you our after sales. You can find various options as regards assistance on this purchase.

Mattress Selection Available


Strictly Beds has a full range of mattresses to fit this bunk bed.

To go to our selection please type in
www.strictlbedsandbunks.co.uk/mattress



Using the Camera on your phone, scan this barcode to take you to our mattress selection

IMPORTANT: DO NOT DISPOSE of the packaging until you are satisfied with your purchase.. Please keep all cardboard until fully satisfied.



Enby Canopy 3ft Single- LONG

Description	Required
Part CL - Left Handside Corner Post	2
Part CR - Right Handside Corner Post	2
Part 1- Long Side rail	2
Part CHR - Canopy High Rail	1
Part 4K- Quattro/Enby side top siderail facia	2
Part BS - Pack of 3ft base slats	1
Part 13- 3ft Blue Headboard Facia	2
Part RSA - Right handside Arch	2
Part LSA - Left handside Arch	2
FIXING KIT & INSTRUCTIONS	1

TOP TIPS - TOP TIPS

Read before you start assembly



Locating the Dowel Rods

To keep the bed from rattling all the dowel holes have been slightly mis-drilled by a couple of mm.

When you push parts together the dowels will straighten and pull together to ensure a tight fit. Whenever you locate a dowel on the hole NEVER push it all the way in, leave it so it is loose and can be aligned with the second locating hole.

Push them all the way in and they will not line



GLUE SACHET INCLUDED

We have included a sachet of glue.

THIS IS NOT TO BE USED with the dowel rods.

Open the sachet and empty into a plastic container.

Whenever you connect a confirmat bolt (D) or a connector bolt (B) into a barrel bolt (c) dip the end of the bolt in the wood glue and screw in as normal. This will act as a lock tight and prevent the bolt from working loose.



Clean out the Pre-drilled Holes

You have brought a solid pine product. During the drilling process there may be sawdust still in the holes.

BEFORE you start assembly clear these holes with one of the bolts. Push the bolt through each hole, this will dislodge any sawdust or debris that could interfere with fixing the bed.

Applying a Finish to the Beds

The bed can be used in a natural form. However if you are applying a stain or finish we advise that you build the bed first. When you are happy with your purchase then put a sheet under the product and apply your stain/paint to the manufacturers recommendations.

NOTE: we are unable to accept the return, under any circumstance once a finish has been applied. By painting the bed you have deemed to accept the quality.



Corner Posts -

Make sure the **WHITE** Mark is facing upwards when laid on the floor

Headboard Facias-

These are colour coded
Please position as follows:

RED - At the top

WHITE - In the middle

BLUE - At the bottom



How to identify your parts and fixings

All our products have four attachment methods. These are colour coded, at the end of each part you will find a marker pen marking either RED, WHITE or BLUE (two types)



RED MARKING/FIXINGS

The part will have a red marker pen marking on the end.

Hole / Bolt configuration:

One large dowel hole - Place for large dowel
One small hole - Place for large 90cm confirmation bolt D

Areas this method is used:

Top front and back guard rails and top headboard facia



WHITE MARKING/FIXINGS

The part will have a white chalk marking on the end.

Hole / Bolt configuration:

TWO large dowel holes - Place for large dowel

Areas this method is used:

Bottom front and back guard rails and centre headboard facia



BLUE MARKING/FIXINGS -

The part will have a blue marker pen marking on the end.

Hole / Bolt configuration:

TWO large dowel holes - Place for large dowel
One small centre hole - Place for large 90mm connector bolt D



SIDE RAIL MARKING/FIXINGS

The part will have a blue marker pen marking on the end.

Hole / Bolt configuration:

TWO large dowel holes - Place for large dowel
One small centre hole - Place for large 90mm connector bolt C

Facing access hole - Place for barrel bolt B

Fixings List



Fixing A1

Small sachet of glue for bolts B & C (NOT dowels)

Number Required 4



Fixing A2

70mm square wooden rail or base slat spacer

Number Required 1



Fixing A

40mm by 10mm Wooden Dowel
Used to connect parts

Number required - 36



Fixing B

14mm Barrel bolt/Nut
Used to connect with bolt C

Number required 8



Fixing C

90mm Connector bolt
Used to connect with bolt B

Number required 8



Fixing D

90mm Confirmat Bolt
Used to connect headboards

Number required 8



Fixing E

30mm silver Screw
Used to attach base slats

Number required 24



Fixing K

Allen Key

To connect bolts

Number Required 1


To ALL customers - If you have a missing or damaged bolt you can order these FREE of CHARGE using the following method, please note we will require your order number or delivery address

Email: help@strictlybedsandbunks.co.uk

Website: www.strictlyhelpdesk.co.uk

All fixings are sent out via next day Royal Mail Post

Assemble The Headboard



Lets build the headboard

Start by place part CL to your left, CR to your right. You must ensure the white chalk makings are facing upwards. The locate the part 13 to the bottom. Using Bolts A and D attach the blue bottom facia. Now attach the two arches, LSA to your left, RSA to your right. Again using fixings A and D attach. When you place the arch on top of each corner post please apply a sachet of GLUE to bond. Now repeat to make both the ends.

Attach the siderails and top facia

Now with a second person stand each end up and attach the siderails and part 4K. Using bolts A, B and C attach to each corner post. Please ensure the white chalk markings are facing inwards. TIP- Make sure you clean out the access holes in the siderail incase sawdust is still present.

Attach the top Centre Rail

Now locate and fix the top centre rail CHR using parts A & D

Attach base slats



You will have twelve extra wide base slats. Push the first slat tight with the footboard corner posts, then using the base slat spacer block evenly space out the remaining base slats. **DO NOT SCREW IN PLACE YET.**

Now push the slats flush to the left hand side rail and screw in (do not screw the right hand side yet). Now go to the right hand side and start with the slat near the centre. Push the side rail in so the slat is flush, then fix using the screw. This aligns the side rail. Now fix the remaining base slats.

IMPORTANT SAFETY NOTICE

This bed is not designed to be a climbing frame. Please instruct/teach the user not to hang off or balance from the top centre rail.

CUSTOMER CARE

We have checked all parts to ensure they are free of damage. However timber is a natural, living product. Occasionally timber can still be adjusting to humidity, for this reason a crack or stretch mark may appear after the product has been packaged.

Strictly Beds and Bunks however have a
FREE PARTS REQUEST

Should you need to order a part please go to our FREE help desk
go to www.strictlyhelpdesk.co.uk.

Assistance: help@strictlybedsandbunks.co.uk

All parts are sent FREE of charge using next working day carrier.